


JSW Colouren+

Premium Colour Coated Roofing Sheets



BEAUTY THAT LASTS FOREVER



BEAUTY THAT LASTS
FOREVER



About JSW Colouren+

JSW Colouren+ is one of the flagship brands from the house of JSW. It has been a flag-bearer of innovation for many years now. Ready with pre-painted Color Coated coils and sheets, JSW Colouren+ is here with a new set of variants in roofing solutions. Their inbuilt anti-corrosion coating makes them weather-proof. The superior paint technology protects them even more by preventing the paint from cracking and peeling off. The organic polythene film on the sheets protects them from damage during transit. Choose from the 3 major variants that come with a warranty of 15 years. Let your home be built with beauty that never fades.

Liner Marking will appear as:

JSW COLOURON+ X.XX MM AZXXX P DD MM YY (IS) 15965 BIS APPROVED

(where P is location code: V - Vasind, T - Tarapur, K - Kalmeshwar, R - Rajpura, I - Indore)

Advantages of JSW Colouren+



The sheets come with a warranty of 15 years, thereby beautifying homes & lives for a lifetime.



JSW Steel is the first licensee of Galvalume in India. Galvalume products offer superior corrosion-resistance compared to other coating technologies, making your roof last longer even in the harshest of weather conditions.



It comes with anti-corrosion technology that prevents early corrosion of steel and substantially increases the life of the roof.



New Variants

Introducing the all-new variants of JSW Colouren+ with upgraded strength, shine and extra protection for your homes. Know more about the roofs that make your homes look beautiful vibrant and safe.

JSW Colouren+ - High Gloss



We pour all our dreams in the house we build for our family and make it live through the ravages of time. Maintaining your roofs sounds like hard work but the process becomes much easier if you build a sustainable one. Hence, JSW Colouren+ is a preferred choice to protect your home from all kinds of weather and also to make it look beautiful. With the new High Gloss variant of JSW Colouren+, make your homes safe & beautiful for years to come.

Advantages of High Gloss are:



Better Endurance



Highest Reflective Appearance



Aesthetic Beauty



Better Overall Performance



Easy to Clean



Weatherproof Roofs

Liner Marking will appear as:

JSW COLOURON+ HG X.XX MM AZXXX P DD MM YY (ISD) 15965 BIS APPROVED

(where, P is location code: V - Vasind, T - Tarapur, K - Kalmeshwar, R - Rajpura, I - Indore)



JSW Colouron+ - High Gloss & Anti-Dust



The duo-power coating on your roof makes them low on maintenance & high on beauty. With the power of dual protection for your roofs, High Gloss and Anti-Dust variants ensure a glossy appearance and auto cleaning ability. Your roofs look bright, fresh, and clean even after years of natural exposure. The anti-dust property of the roof does not allow the dust to settle on the roof hence it keeps the roof clean, and dust-free too. The stained surfaces can be easily cleaned physically with wet or dry wiping, by simply sprinkling water or even naturally, via wind and rains.

Advantages of High Gloss and Anti -Dust are:



Better Endurance



Highest Reflective Appearance



Glossy Sheets



Easy to Clean



Scratch Proof



No Dust Retention




**Weather Tested
(Equivalent to 2.5-3 years of natural exposure)**

Liner Marking will appear as:

JSW COLOURON+ HG + AD X.LXX MM AZXXX P DD MM YY (ISD) 15965 BIS APPROVED

(where, P is location code: V - Vasind, T - Tarapur, K - Kalmeshwar, R - Rajpura, I - Indore)







BEAUTY THAT LASTS
FOREVER





TRAPEZOIDAL PROFILE WITHOUT RIB

Thickness (TCTP in mm)	0.45 to 0.80
Effective Cover Width (mm)	980
Overall Width (mm)	1060
Pitch (mm)	196+/-2.5
Crest Height (mm)	32+/-2
Length (ft)	8, 10, 12, 14, 16, 18, 20, 22, 24
Substrate	PPGL



MANGALORE TILE PROFILE

Thickness (TCTP in mm)	0.45 & 0.80
Effective Cover Width (mm)	990
Overall Width (mm)	1090
Pitch (mm)	198+/-2.5
Crest Height (mm)	NA
Length (ft)	8, 10, 12, 14, 16, 18, 20, 22, 24
Substrate	PPGL



CORRUGATED/SINUSOIDAL PROFILE

Thickness (TCTP in mm)	0.22 to 0.80
Effective Cover Width (mm)	800/910/1120/1220
No. of Valleys	10/12/14/16
Pitch (mm)	75.5+/-2.5
Crest Height (mm)	16.5+/-1.5
Length (ft)	8, 10, 12, 14, 16
Substrate	PPGL

